

PREMIUM CLEAN-FACE MADISON SERIES  
DIRECT-VENT FIREPLACES



AMERICAN HEARTH



*Premium Clean-Face  
Madison Traditional  
Fireplace with  
Aged Brick Liner*

### AMERICAN HEARTH – MADE IN AMERICA

We design every American Hearth fireplace using the best available technology and build each one to the highest-quality standards in our manufacturing facility in Belleville, Illinois.

We make most of our components – from cutting steel to forming to welding to painting – and then hand assemble each fireplace to ensure the best fit and finish. For purchased parts, we give preference to North American suppliers – including our hand-painted log sets, our tempered and ceramic glass, the paint and powder coating, and even the packaging we use to protect our products until they reach your home.

The result is a fireplace that's built to last by experienced American craftsmen and craftswomen – a fireplace that's as deeply rooted in history as fire itself – American Hearth.

### PREMIUM CLEAN-FACE TRADITIONAL FIREPLACES

- **DVCP32BP – 24,000 Btu, 32-inch, 4 x 6 5/8 Top Vent only (View area – 684 sq. in.)**
- **DVCP36BP – 26,000 Btu, 36-inch, 4 x 6 5/8 Top Vent only (View area – 759 sq. in.)**
- **DVCP42BP – 28,500 Btu, 42-inch, 5 x 8 Top Vent only (View area – 981 sq. in.)**

The Premium Clean-Face Madison includes a tempered glass view window and a unique burner that delivers a rich flame pattern. The ceramic fiber log set is required (but sold separately). Each log is hand painted for stunning realism with detailed bark, knots, and charring.

Ceramic Fiber Liner options for Premium models include a traditional Aged Brick with smoky highlights, and an old-world Cottage Brick that combines traditional and diagonal courses. Or choose the deep black polished porcelain-steel liner that reflects the flames for a luxurious effect.

The available lighting kit draws attention to the intricate details in the log set and brick liner – even when no fire is burning. You can enhance heat distribution with the optional variable-speed blower. Both the light and blower include dimmer controls.

Fireplace barrier screens, required for all direct-vent systems, protect you and your family from inadvertently touching the hot glass.

Premium models are available in Millivolt and in Green Earth Preferred Intermittent Pilot.





Premium Clean-Face Madison



*Premium Clean-Face  
Madison Traditional  
Fireplace with  
Cottage Brick Liner*

## PREMIUM CLEAN-FACE CONTEMPORARY FIREPLACES

- DVCC32BP – 24,000 Btu, 32-inch, 4 x 6 5/8 Top Vent only (View area – 684 sq. in.)
- DVCC36BP – 26,000 Btu, 36-inch, 4 x 6 5/8 Top Vent only (View area – 759 sq. in.)
- DVCC42BP – 28,500 Btu, 42-inch, 4 x 6 5/8 Top Vent only (View area – 981 sq. in.)

The Premium Clean-Face Madison includes a tempered glass view window and a unique burner that delivers a rich flame pattern. Choose between a hand-painted ceramic fiber log set or rock set (required, but sold separately).

The contemporary fireplace includes a deep black polished porcelain-steel liner with added angles to enhance the reflected flames.

Create highlights on the glass media and porcelain liner with the optional lighting kit. And the optional variable-speed blower helps circulate warm air throughout your living space. Both the kits include dimmer controls.


Premium models are available in Millivolt and in Green Earth Preferred Intermittent Pilot.



*Premium Clean-Face Madison Contemporary Fireplace with  
Black Porcelain Liner and River Rocks*







*Premium Clean-Face  
Madison Contemporary  
Fireplace with Black  
Porcelain Liner and  
Driftwood Log Set*

## IGNITION TECHNOLOGIES

Madison Clean-Face Fireplaces are offered in Millivolt models (which feature a standing pilot) and in Intermittent Pilot models (which light with an electronic ignition). Millivolt systems are simple and reliable. They require no electric or battery back-up, however, the standing pilot does burn a small amount of gas even when the fireplace is not in use.

Intermittent Pilot models eliminate the standing pilot for even greater energy savings. IP requires 120V AC to operate on a daily basis, but can operate on battery backup during a power outage.

Both systems can provide heat during a power outage, but the optional electric blower will not operate until power is restored. Even without the blower, the heat generated by your fireplace will circulate by natural convection.

## CONTROLS

Take charge of your fireplace with a battery-operated remote control, thermostat remote, electric remote control, wall thermostats, or wall switch – available for Millivolt and IP.



*FRBTP Programmable  
Remote Control*



*IP Thermostat  
Remote Control*



*FRBTC Thermostat  
Remote Control*



*FRBC or FREC  
Remote Control*



*TRW  
Wall Thermostat*



*TMV  
Wall Thermostat*



*FWS  
Wall Switch*



## LINERS

For Premium Clean-Face Madison traditional fireplace models, choose a hand-painted ceramic fiber liner in Cottage Brick or Aged Brick. Or select a Black Porcelain liner to enhance the illusion of flame and depth.


All Premium Clean-Face Madison contemporary fireplace models include a Black Porcelain liner, which adds depth and enhances the flames.



*Cottage Brick*




*Aged Brick*




*Black Porcelain*

A fireplace barrier screen is required to prevent contact with the hot glass. Available in matte black.



*Fireplace Barrier Screen – Matte Black Only  
(detail)*

# FIREPLACE DIMENSIONS (in inches)



	DVCP32BP / DVCC32BP	DVCP36BP / DVCC36BP	DVCP42BP / DVCC42BP
A	34	37	43
B	31	34	40
C	28 7/8	28 7/8	30 7/8
D	38 3/8	38 3/8	40 3/8
E	38 1/8	38 1/8	40 1/8
F	16	16	16
H	6 3/4	6 3/4	6 3/4
I	23 1/8	26 1/8	32 1/8
J	11 9/16	13 1/16	16 1/16
K	9 3/16	9 3/16	9 3/16

## Warranty for All Models

**All parts carry a 3-year limited warranty**

**All Remote Controls carry a 1-year limited warranty**

Note: Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See Owner's Manual for details.

Refer to your Owner's Manual for complete installation and safety information.

## Gas Inlet for All Models

Type of Gas (State on Order)	Natural or LP
Iron Pipe Size (N.P.T.)	1/2 inch

Empire Comfort Systems Inc., has manufactured safe, reliable gas-fired decorative appliances and heating systems since 1932. We take pride in our reputation for quality products, backed by the best sales, service, and distribution network in this industry. These fireplaces combine proven technologies with exceptional artistry and craftsmanship to enhance the ambiance of any home.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos. Log Sets shown with Platinum Glowing Embers (PE20) and Ember Bed Kit (EK-1).

918 Freeburg Ave.  
Belleville, IL 62220-2623  
e-mail: info@empirecomfort.com

AH-00952 12/01/14

[www.americanhearth.com](http://www.americanhearth.com)